Author Index of Volume 450

Adams, C.J., C9
Akabori, S., 103
Albach, R.W., 165
Albrecht, M., 137
Almeida, S.S.P.R., C7
Antonaroli, S., 21
Arena, C.G., 263
Arif, A.M., 157
Astruc, D., 165
Aulbach, M., 1

Ballesteros, P., 237
Battaglia, G., 245
Baur, A., 269
Behm, J., 165
Bitterwolf, T.E., 27
Botteghi, C., 229
Bruce, M.I., C9, 209
Brune, H.-A., 269
Bruno, G., 263

Cano, M., 237
Casas, J.S., 41
Cathey, C.J., C12
Caulton, K.G., 253
Chelucci, G., C15
Chen, J.-H., 63
Churchill, M.R., 171
Cinellu, M.A., C15
Claramunt, R.M., 237
Cooper, J.C., 85
Coughlan, S.M., 151
Courtois, G., 33
Crociani, B., 21
Cusmano, F.P., 245

Dahlhaus, J., C1
Delville, M.-H., 165
De Munno, G., 263
Di Bianca, F., 21
Drommi, D., 263

Ebert, B., 165
Erker, G., 1, 137
Espinet, P., 145
Evans, W.J., 115

Faraone, F., 263
Fenske, D., 73
Fontana, A., 21
Francès, J.-M., 97
Fraústo Da Silva, J.J.R., C7

George, C.F., 85
Gewald, R., 73
Giordano, G., 245
Gladysz, J.A., 157
Goesman, H., 73
Gómez-Elipe, P., 145
Guillou, V., 97

Hauger, B., 253
Hausen, H.-D., 53
Heras, J.V., 237
Hinterding, P., 209
Hong, F.-E., 63
Hwang, L.-P., 63

Jiang, T., 121
Jin, S., 121
Johnson, B.F.G., C12
Jones, S.S., 27
Jong, T.-T., 63
Jousseaume, B., 97
Jutzi, P., C1

Keyer, R.A., 115
Khanna, P.K., 109
Klein, B., 91
Klein, D.P., 157
Knox, G.R., 177
Kondo, T., 197
Kratky, C., 185
Kristen, M.O., C1
Krüger, C., 1
Küsthardt, U., 165

Lassacher, P., 79
Lee, W.-B., 63
Lerche, J., 269
Lewis, J., C12
Lin, H.-J., 63
Lin, Y., 121
López Gallego-Preciado, M.C., 237

Macías, A., 41
Marsmann, H., 67
Matteoli, U., 229
McGrath, K.J., 85
Menchi, G., 229
Miginiac, L., 33
Minghetti, G., C15
Mitsudo, T.-a., 197
Monge, A., 237
Morley, C.P., 109

Neumann, W.P., 91
Noe, R., 137
Noiret, N., 97

Opromolla, G., 193

Paganelli, S., 229
Pan, Y., 67
Pannell, K.H., 193
Paquette, L.A., 125
Pardi, L., 193
Pauson, P.L., 177
Pellmann, A., 67
Pereyre, M., 97
Periasamy, M., 47
Pinilla, E., 237
Pohl, S., 67
Pombeiro, A.J.L., C7
Pritzkow, H., 9

Quirós Méndez, N., 157

Raithby, P.R., C12
Rappoli, B.J., 85
Rausch, M.D., 27
Rheingold, A.L., 137
Robinson, B.H., 219
Rogers, R.D., 125
Rotondo, E., 245
Rühlmann, K., 73

Saak, W., 67
Scheim, U., 73
Schenk, W.A., C4
Schlögl, K., 185
Schmidtberg, G., 269
Scrivanti, A., 229
See, R.F., 171
Seyler, J.W., 157
Sharma, H.K., 193
Shen, Q., 121
Simpson, J., 219
Sivik, M.R., 125
Skelton, B.W., C9, 209
Sordo, J., 41
Stoccoro, S., C15
Stubbe, M., C4
Stüger, H., 79
Suen, S.-C., 63
Suseela, Y., 47

Tabata, N., 103
Takanohashi, Y., 103
Tanase, T., 103
Tiekink, E.R.T., 209

Trapp, M., 53

Varela, J.M., 41
Villafañe, F., 145

Wadepohl, H., 9
Wally, H., 185
Watanabe, Y., 197
Weckler, G., 53
Weidenbruch, M., 67
Weidlein, J., 53
Weissensteiner, W., 185
Werner, S., 1
White, A.H., C9, 209
Widhalm, M., 185
Willison, D., 177
Wong, W.T., C12
Worth, G.H., 219

Yang, G.K., 151

Zanello, P., 193
Zhang, S.-W., 197
Ziller, J.W., 115
Zucca, A., C15

Subject Index of Volume 450

Aluminium

Über dimere Dimethylmetall-bis(trimethylgermyl)amide des Aluminiums, Galliums und Indiums (M. Trapp, H.-D. Hausen, G. Weckler und J. Weidlein), 53

Intramolekulare Basenkoordination je nach Bedarf: Der 1-(Dimethylaminoethyl)-2,3,4,5-tetramethylcyclopentadienyl-Ligand in der Komplexchemie von s-, p-, d- und f-Block-Elementen (P. Jutzi, J. Dahlhaus und M.O. Kristen), C1

Arsenic

Reaktive Arsen-Heterocyclen. II. 3-Arsolene als Arsiniden-Quelle (W.A. Schenk und M. Stubbe), C4

Boron

Convenient method for the preparation of catecholborane and promotion of the formation of alkenyl catecholborane using BH_3 complexes (Y. Suseela and M. Periasamy), 47

Crystal structure of $Fe(\eta^6\text{-}C_5H_5BCMe_3)_2$, a "problem structure" (M.R. Churchill and R.F. See), 171

Calcium

Intramolekulare Basenkoordination je nach Bedarf: Der 1-(Dimethylaminoethyl)-2,3,4,5-tetramethylcyclopentadienyl-Ligand in der Komplexchemie von s-, p-, d- und f-Block-Elementen (P. Jutzi, J. Dahlhaus und M.O. Kristen), C1

Cobalt

Reactivity of tri- and tetra-nuclear ethylidyne cyclopentadienylcobalt clusters towards protonic acids (H. Wadepohl and H. Pritzkow), 9

Formation of the unusual alkynyl carboxamide complex, $C_2H_5N(H)C(O)C{\equiv}C[Co_2(CO)_6]CCo_3(CO)_9$ (G.H. Worth, B.H. Robinson and J. Simpson), 219

Hydroformylation and hydrocarbethoxylation of 1,2-dicarbethoxy-1,2,3,6-tetrahydropyridazine and 1,2-dicarbethoxy-1,2,3,4-tetrahydropyridazine (G. Menchi, S. Paganelli, U. Matteoli, A. Scrivanti and C. Botteghi), 229

Gallium

Über dimere Dimethylmetall-bis(trimethylgermyl)amide des Aluminiums, Galliums und Indiums (M. Trapp, H.-D. Hausen, G. Weckler und J. Weidlein), 53

Germanium

Über dimere Dimethylmetall-bis(trimethylgermyl)amide des Aluminiums, Galliums und Indiums (M. Trapp, H.-D. Hausen, G. Weckler und J. Weidlein), 53

Chemie der schweren Carben-Analogen R_2M, M = Si, Ge, Sn. XVIII. Eine unerwartete Ge–C-Spaltung des als Dimethylgermylen-Speicher dienenden 7,7-Dimethyl-7-germanorbornadiens (B. Klein und W.P. Neumann), 91

Indium

Über dimere Dimethylmetall-bis(trimethylgermyl)amide des Aluminiums, Galliums und Indiums (M. Trapp, H.-D. Hausen, G. Weckler und J. Weidlein), 53

Iridium

Hydroformylation and hydrocarbethoxylation of 1,2-dicarbethoxy-1,2,3,6-tetrahydropyridazine and 1,2-dicarbethoxy-1,2,3,4-tetrahydropyridazine (G. Menchi, S. Paganelli, U. Matteoli, A. Scrivanti and C. Botteghi), 229

Ethylene hydrogenation by the hydride alkoxide species $Ir(H)_2(OCH_2CF_3)(P^tBu_2Ph)_2$. Ethylene-induced reductive elimination of alcohol from Ir^{III} (B. Hauger and K.G. Caulton), 253

Iron

A facile synthetic route to (η^5-benzoylcyclopentadienyl)metal compounds (S.S. Jones, M.D. Rausch and T.E. Bitterwolf), 27

Crystal structure of $Fe(\eta^6\text{-}C_5H_5BCMe_3)_2$, a "problem structure" (M.R. Churchill and R.F. See), 171

Ferrocene derivatives. XXVIII. The metallation of phenylazoferrocene and the synthesis of phenylazocyclopentadienyl derivatives of other metals (G.R. Knox, P.L. Pauson and D. Willison), 177

Ferrocene derivatives, LXXI; Stereochemistry of metallocenes, LVI. Synthesis and structure of optically active ferrocenylaminoalcohols (H. Wally, C. Kratky, W. Weissensteiner, M. Widhalm and K. Schlögl), 185

The redox behaviour of ferrocene derivatives. III. Ferrocenylacyl complexes ($\eta^5\text{-}C_5H_5$) $Fe(\eta^5\text{-}C_5H_4\text{–}COER_3)$, E = C, Si or Ge; R = Me or Ph (P. Zanello, G. Opromolla, L. Pardi, K.H. Pannell and H.K. Sharma), 193

Intramolekulare Basenkoordination je nach Bedarf: Der 1-(Dimethylaminoethyl)-2,3,4,5-tetramethylcyclopentadienyl-Ligand in der Komplexchemie von s-, p-, d- und f-Block-Elementen (P. Jutzi, J. Dahlhaus und M.O. Kristen), C1

Manganese

A facile synthetic route to (η^5-benzoylcyclopentadienyl)metal compounds (S.S. Jones, M.D. Rausch and T.E. Bitterwolf), 27

Ferrocene derivatives. XXVIII. The metallation of phenylazoferrocene and the synthesis of phenylazocyclopentadienyl derivatives of other metals (G.R. Knox, P.L. Pauson and D. Willison), 177

Mercury

Complexes derived from 4-amino-3-methyl-5-thione-1,2,4-triazole and monoorganomercury moieties. Crystal structure of (4-amino-5-mercapto-3-methyl-1,2,4-triazolato)methylmercury(II) (J.M. Varela, A. Macías, J.S. Casas and J. Sordo), 41

Darstellung und spektroskopische Charakterisierung verzweigter funktioneller Hexasilangerüste (H. Stüger und P. Lassacher), 79

Metallocenes

Stereoselective propene polymerization at a metallocene/alumoxane catalyst derived from the chirally-substituted "*meso*-like" (*p-R,p-S*)bis[1-(neoisopinocamphyl)-4,5,6,7-tetrahydroindenyl]zirconium dichloride (G. Erker, M. Aulbach, C. Krüger and S. Werner), 1

Carbonylation of 2-bornenyl(methyl)zirconocene (G. Erker, R. Noe, M. Albrecht and A.L. Rheingold), 137

Rearrangement of cyclooctyne to 1,2-cyclooctadiene within the coordination sphere of $CpMn(CO)_2$ (S.M. Coughlan and G.K. Yang), 151

Ferrocene derivatives. XXVIII. The metallation of phenylazoferrocene and the synthesis of phenylazocyclopentadienyl derivatives of other metals (G.R. Knox, P.L. Pauson and D. Willison), 177

Ferrocene derivatives, LXXI; Stereochemistry of metallocenes, LVI. Synthesis and structure of optically active ferrocenylaminoalcohols (H. Wally, C. Kratky, W. Weissensteiner, M. Widhalm and K. Schlögl), 185

The redox behaviour of ferrocene derivatives. III. Ferrocenylacyl complexes (η^5-C_5H_5) Fe(η^5-C_5H_4–$COER_3$), E = C, Si or Ge; R = Me or Ph (P. Zanello, G. Opromolla, L. Pardi, K.H. Pannell and H.K. Sharma), 193

Intramolekulare Basenkoordination je nach Bedarf: Der 1-(Dimethylaminoethyl)-2,3,4,5-tetramethylcyclopentadienyl-Ligand in der Komplexchemie von s-, p-, d- und f-Block-Elementen (P. Jutzi, J. Dahlhaus und M.O. Kristen), C1

Molybdenum

Phenylbis(2-pyridyl)phosphine: *P- vs. N,N'*-coordination in carbonylmolybdenum-(0) and -(II) complexes (P. Espinet, P. Gómez-Elipe and F. Villafañe), 145

Ferrocene derivatives. XXVIII. The metallation of phenylazoferrocene and the synthesis of phenylazocyclopentadienyl derivatives of other metals (G.R. Knox, P.L. Pauson and D. Willison), 177

Intramolekulare Basenkoordination je nach Bedarf: Der 1-(Dimethylaminoethyl)-2,3,4,5-tetramethylcyclopentadienyl-Ligand in der Komplexchemie von s-, p-, d- und f-Block-Elementen (P. Jutzi, J. Dahlhaus und M.O. Kristen), C1

Nickel

Ferrocene derivatives. XXVIII. The metallation of phenylazoferrocene and the synthesis of phenylazocyclopentadienyl derivatives of other metals (G.R. Knox, P.L. Pauson and D. Willison), 177

Osmium

Cyclopentadienyl-ruthenium and -osmium chemistry. XXXIX. Syntheses of novel alkynyl-ruthenium complexes. X-Ray structures of two forms of $\{Ru(PPh_3)_2(\eta\text{-}C_5H_5)\}_2(\mu\text{-}C_4)$ and of $Ru\{C{\equiv}CC(O)Me\}(PPh_3)_2(\eta\text{-}C_5H_5)$ (M.I. Bruce, P. Hinterding, E.R.T. Tiekink, B.W. Skelton and A.H. White), 209

Reaction of $[(\mu\text{-}H)Os_3(CO)_{11}]^-$ anion with dioxygen (C.J. Cathey, B.F.G. Johnson, J. Lewis, P.R. Raithby and W.T. Wong), C12

Palladium

Synthesis and characterisation of new 2-bromovinyl selenides and their platinum group metal complexes (P.K. Khanna and C.P. Morley), 109

Ferrocene derivatives. XXVIII. The metallation of phenylazoferrocene and the synthesis of phenylazocyclopentadienyl derivatives of other metals (G.R. Knox, P.L. Pauson and D. Willison), 177

Stereo and regioselectivity in the phenylation of cationic allylpalladium(II) α-diimine complexes by tetraphenylborate anion (B. Crociani, S. Antonaroli, F. Di Bianca and A. Fontana), 21

Hydroformylation and hydrocarbethoxylation of 1,2-dicarbethoxy-1,2,3,6-tetrahydropyridazine and 1,2-dicarbethoxy-1,2,3,4-tetrahydropyridazine (G. Menchi, S. Paganelli, U. Matteoli, A. Scrivanti and C. Botteghi), 229

Steric effects of the 2-(diphenylphosphino)pyridine bridging ligand in the synthesis of binuclear palladium(II) complexes (G. De Munno, G. Bruno, C.G. Arena, D. Drommi and F. Faraone), 263

Cyclometallated derivatives of palladium(II) and platinum(II) derived from 6-t-butyl-2,2'-bipyridine (S. Stoccoro, G. Chelucci, M.A. Cinellu, A. Zucca and G. Minghetti), C15

Phosphorus

Tetra-*ortho*-substituierte *cis*-Bis(phenyl)platin(II)-Verbindungen: Synthesen und photochemisches Verhalten (H.-A. Brune, J. Lerche, G. Schmidtberg und A. Baur), 269

Platinum

Synthesis and characterisation of new 2-bromovinyl selenides and their platinum group metal complexes (P.K. Khanna and C.P. Morley), 109

Hydroformylation and hydrocarbethoxylation of 1,2-dicarbethoxy-1,2,3,6-tetrahydropyridazine and 1,2-dicarbethoxy-1,2,3,4-tetrahydropyridazine (G. Menchi, S. Paganelli, U. Matteoli, A. Scrivanti and C. Botteghi), 229

Tetra-*ortho*-substituierte *cis*-Bis(phenyl)platin(II)-Verbindungen: Synthesen und photochemisches Verhalten (H.-A. Brune, J. Lerche, G. Schmidtberg und A. Baur), 269

Cyclometallated derivatives of palladium(II) and platinum(II) derived from 6-t-butyl-2,2'-bipyridine (S. Stoccoro, G. Chelucci, M.A. Cinellu, A. Zucca and G. Minghetti), C15

Rhenium

A facile synthetic route to (η^5-benzoylcyclopentadienyl)metal compounds (S.S. Jones, M.D. Rausch and T.E. Bitterwolf), 27

Structures of propionaldehyde, butyraldehyde, and pivalaldehyde complexes of the chiral rhenium fragment $[(\eta^5\text{-}C_5H_5)Re(NO)(PPh_3)]^+$ (D.P. Klein, N. Quirós Méndez, J.W. Seyler, A.M. Arif and J.A. Gladysz), 157

Electrochemical and chemical generation of a mixed-valent organorhenium oxide and its subsequent aggregation (R.W. Albach, U. Küsthardt, J. Behm, B. Ebert, M.-H. Delville and D. Astruc), 165

Carbyne-fluoro complexes of rhenium. Single-pot synthesis of *trans*-$[ReF(\equiv CCH_2R)(Ph_2PCH_2CH_2PPh_2)_2][BF_4]$ (S.S.P.R. Almeida, J.J.R. Fraústo Da Silva and A.J.L. Pombeiro), C7

Rhodium

A facile synthetic route to (η^5-benzoylcyclopentadienyl)metal compounds (S.S. Jones, M.D. Rausch and T.E. Bitterwolf), 27

Ferrocene derivatives. XXVIII. The metallation of phenylazoferrocene and the synthesis of phenylazocyclopentadienyl derivatives of other metals (G.R. Knox, P.L. Pauson and D. Willison), 177

Hydroformylation and hydrocarbethoxylation of 1,2-dicarbethoxy-1,2,3,6-tetrahydropyridazine and 1,2-dicarbethoxy-1,2,3,4-tetrahydropyridazine (G. Menchi, S. Paganelli, U. Matteoli, A. Scrivanti and C. Botteghi), 229

The crystal and molecular structure of bis(indazol-1-yl)pyridin-2'-ylmethane (BIPM) and $[Rh(BIPM)(NBD)]PF_6$ (M.C. López Gallego-Preciado, P. Ballesteros, R.M. Claramunt, M. Cano, J.V. Heras, E. Pinilla and A. Monge), 237

^{31}P and ^{13}C NMR investigation of the system tetracarbonyldi-μ-chlorodirhodium(I)–tertiary phosphine (E. Rotondo, G. Battaglia, G. Giordano and F.P. Cusmano), 245

Ruthenium

Stability of the silicon–ruthenium bond in the presence of a strong nucleophile. Phase sensitive ^{1}H NMR COSY and crystal structure of $Ru(CO)_2(NH_2CH_2C_6H_5)_2(Si(C_6H_5)(CH_3)_2)I$ (B.J. Rappoli, K.J. McGrath, C.F. George and J.C. Cooper), 85

Ferrocene derivatives. XXVIII. The metallation of phenylazoferrocene and the synthesis of phenylazocyclopentadienyl derivatives of other metals (G.R. Knox, P.L. Pauson and D. Willison), 177

Ruthenium complex-catalyzed allylic alkylation of carbonucleophiles with allylic carbonates (S.-W. Zhang, T.-a. Mitsudo, T. Kondo and Y. Watanabe), 197

Cyclopentadienyl-ruthenium and -osmium chemistry. XXXIX. Syntheses of novel alkynyl-ruthenium complexes. X-Ray structures of two forms of $\{Ru(PPh_3)_2(\eta\text{-}C_5H_5)\}_2(\mu\text{-}C_4)$ and of $Ru\{C{\equiv}CC(O)Me\}(PPh_3)_2(\eta\text{-}C_5H_5)$ (M.I. Bruce, P. Hinterding, E.R.T. Tiekink, B.W. Skelton and A.H. White), 209

A new route to complexes containing the tetracarbon (C_4) ligand (C.J. Adams, M.I. Bruce, B.W. Skelton and A.H. White), C9

Samarium

Tetrahedral *versus* square planar arrangement of cyclopentadienyl ligands in bimetallic organosamarium complexes. X-ray crystal structure of $[(C_5H_4Me)_2(THF)Sm(\mu\text{-}Cl)]_2$ (W.J. Evans, R.A. Keyer and J.W. Ziller), 115

Intramolekulare Basenkoordination je nach Bedarf: Der 1-(Dimethylaminoethyl)-2,3,4,5-tetramethylcyclopentadienyl-Ligand in der Komplexchemie von s-, p-, d- und f-Block-Elementen (P. Jutzi, J. Dahlhaus und M.O. Kristen), C1

Selenium

Bis(2-bromoethyl)selenium dibromide as the selenium-introducing reagent: One-pot preparation of 2,5-bis(alkoxymethyl)tetrahydroselenophenes by the cyclization of 1,5-hexadiene (Y. Takanohashi, N. Tabata, T. Tanase and S. Akabori), 103

Synthesis and characterisation of new 2-bromovinyl selenides and their platinum group metal complexes (P.K. Khanna and C.P. Morley), 109

Silicon

Siliciumverbindungen mit starken intramolekularen sterischen Wechselwirkungen. XLIX. Disilane und ein Disilen mit unsymmetrischer Substitution an den Siliciumatomen (M. Weidenbruch, A. Pellmann, Y. Pan, S. Pohl, W. Saak und H. Marsmann), 67

Synthesis of siloxanes. XXII. Synthesis and crystal structure of 2-t-butoxy-2,4,6-trimethyl-4,6-diphenyl-(2α,4α,6α)-cyclotrisiloxane (R. Gewald, U. Scheim, K. Rühlmann, H. Goesman and D. Fenske), 73

Darstellung und spektroskopische Charakterisierung verzweigter funktioneller Hexasilangerüste (H. Stüger und P. Lassacher), 79

Stability of the silicon–ruthenium bond in the presence of a strong nucleophile. Phase sensitive ^{1}H NMR COSY and crystal structure of $Ru(CO)_2(NH_2CH_2C_6H_5)_2(Si(C_6H_5)(CH_3)_2)I$ (B.J. Rappoli, K.J. McGrath, C.F. George and J.C. Cooper), 85

Sodium

A facile synthetic route to (η^5-benzoylcyclopentadienyl)metal compounds (S.S. Jones, M.D. Rausch and T.E. Bitterwolf), 27

Thallium

A facile synthetic route to (η^5-benzoylcyclopentadienyl)metal compounds (S.S. Jones, M.D. Rausch and T.E. Bitterwolf), 27

Molecular structure of *meso*-tetraphenylporphyrinatothallium(III) cyanide: Tl(tpp)(CN) (W.-B. Lee, S.-C. Suen, T.-T. Jong, F.-E. Hong, J.-H. Chen, H.-J. Lin and L.-P. Hwang), 63

Tin

Synthesis and thermal decomposition of substituted [2-(acyloxy)alkyl]diorganotins compounds, $Bu_2Sn(X)CH_2CHR^1OCOR^2$ (X = halogen, 2,4-pentanedionate, or OCOR), potential sources of organotin catalysts (B. Jousseaume, V. Guillou, N. Noiret, M. Pereyre and J.-M. Francès), 97

Titanium

Isodicyclopentadienes and related molecules. LVII. Solid state structural studies of the diastereomeric *exo*- and *endo*-(η^5-cyclopentadienyl)(η^5-(1*S*,8*R*)-9,9-dimethyltricyclo[6.1.1.0^{2,6}]deca-2,5-dienyl)dichlorotitaniums and a stereopure *exo*-(η^5-pentamethylcyclopentadienyl) congener (R.D. Rogers, M.R. Sivik and L.A. Paquette), 125

Ytterbium

Synthesis and molecular structure of $(CH_3Cp)_2Yb \cdot DME$ and its catalytic activity for the polymerization of methyl methacrylate (T. Jiang, Q. Shen, Y. Lin and S. Jin), 121

Zinc

Etude de la régiosélectivité de l'action des organozinciques sur les α-iminoesters issus de 2-amino ou 3-aminoalcools. I. Synthèse d'α-aminoesters polyfonctionnels (G. Courtois et L. Miginiac), 33

Zirconium

Stereoselective propene polymerization at a metallocene/alumoxane catalyst derived from the chirally-substituted "*meso*-like" (*p*-*R*,*p*-*S*)bis[1-(neoisopinocamphyl)-4,5,6,7-tetrahydroindenyl]zirconium dichloride (G. Erker, M. Aulbach, C. Krüger and S. Werner), 1

Carbonylation of 2-bornenyl(methyl)zirconocene (G. Erker, R. Noe, M. Albrecht and A.L. Rheingold), 137